

ThinLINE TLH107-4




Bolt Patterns Guide

LEADING PROVIDER OF BOLT LOADING & REMOVAL SOLUTIONS

Products and Prices are subject to updates and changes. Please contact us for current quote.

2013


ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



ThinLINE TLH107-4




ANSI 48' -75# B

7/8" DIA. BOLTS
1-7/16" A/F NUTS
44 BOLTS
51-3/8" BOLT CIRCLE

Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



ThinLINE TLH107-4




ANSI 54' -75# B

7/8" DIA. BOLTS
1-7/16" A/F NUTS
48 BOLTS
57-1/2" BOLT CIRCLE

Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



ThinLINE TLH107-4




ANSI 54' -75# B

7/8" DIA. BOLTS
1-7/16" A/F NUTS
48 BOLTS
57-1/2" BOLT CIRCLE

Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi




ThinLINE TLH107-4



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



ThinLINE TLH107-4



API 2-1/16"-3,000PSI

7/8" DIA BOLTS
1-7/16" A/F NUTS
8 BOLTS
6-1/2" BOLT
CIRCLE


Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



ThinLINE TLH107-4

API 2-1/16"-5,000PSI


7/8" DIA BOLTS
1-7/16" A/F NUTS
8 BOLTS
6-1/2" BOLT
CIRCLE



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



ThinLINE TLH107-4




Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



ThinLINE TLH107-4

7/8" DIA BOLTS
1-7/16" A/F NUTS
8 BOLTS
7-1/2" BOLT CIRCLE



Suggested Torque: 320 ft-lb
Pressure Setting: 550 psi



